

A Compact Routing Scheme and Approximate Distance Oracle for Power-Law Graphs*

Wei Chen
weic@microsoft.com

Christian Sommer
csom@mit.edu

Shang-Hua Teng
shanghua@usc.edu

Yajun Wang
yajunw@microsoft.com

October 11, 2010

Abstract

Compact routing addresses the tradeoff between table sizes and stretch, which is the worst-case ratio between the length of the path a packet is routed through by the scheme and the length of a shortest path from source to destination. We adapt the compact routing scheme by Thorup and Zwick to optimize it for power-law graphs. We analyze our adapted routing scheme based on the theory of unweighted random power-law graphs with fixed expected degree sequence by Aiello, Chung, and Lu. Our result is the first theoretical bound coupled to the parameter of the power-law graph model for a compact routing scheme.

Let n denote the number of nodes in the network. We prove that, for stretch 3, instead of routing tables with $\tilde{O}(n^{1/2})$ bits (\tilde{O} suppresses factors logarithmic in n) as in the general scheme by Thorup and Zwick, expected sizes of $O(n^\gamma \log n)$ bits are sufficient, and that all the routing tables can be constructed at once in expected time $O(n^{1+\gamma} \log n)$, with $\gamma = \frac{\tau-2}{2\tau-3} + \varepsilon$, where $\tau \in (2, 3)$ is the power-law exponent and $\varepsilon > 0$ (which implies $\varepsilon < \gamma < 1/3 + \varepsilon$). Both bounds also hold with probability at least $1 - 1/n$ (independent of ε). The routing scheme is a labeled scheme, requiring a stretch-5 handshaking step and using addresses and message headers with $O(\log n \log \log n)$ bits, with probability at least $1 - o(1)$. We further demonstrate the effectiveness of our scheme by simulations on real-world graphs as well as synthetic power-law graphs.

With the same techniques as for the compact routing scheme, we also adapt the approximate distance oracle by Thorup and Zwick for stretch 3 and obtain a new upper bound of expected $\tilde{O}(n^{1+\gamma})$ for space and preprocessing for random power-law graphs. Our distance oracle is the first one optimized for power-law graphs. Furthermore, we provide a linear-space data structure that can answer 5-approximate distance queries in time at most $\tilde{O}(n^{1/4+\varepsilon})$ (similar to γ , the exponent actually depends on τ and lies between ε and $1/4 + \varepsilon$).

1 Introduction

Message routing and answering shortest path and distance queries are fundamental services for communication and information networks. Routing can be seen as the distributed version of answering a distance query. When answering a distance query for a pair of nodes in a network, an efficient algorithm accesses only a small fraction of the information stored at preprocessing time. A preprocessing algorithm, the data structure it creates, and its corresponding query algorithm that computes (approximate) shortest distances, are referred to by the term *distance*

*This work has been announced at the 23rd International Symposium on Distributed Computing (DISC 2009); an extended abstract appeared in the corresponding proceedings on pp. 379–391.

oracle. When routing a message from a source to a destination in the network, to decide where to forward the message to, a node may only use its local information, which includes its local routing table, the destination address, and a message header.

Both routing schemes and distance oracles are expected to “produce” (route messages or output) shortest or approximate shortest paths between all source-destination pairs along. A key measure for the quality of routing schemes (and distance oracles) is their worst-case multiplicative *stretch*, which is defined as the maximum ratio of the length of the message route between a pair of nodes s and t by the scheme and the actual shortest path length between s and t , among all s - t pairs in the network.

Routing schemes address the tradeoff between stretch and routing table size. A trivial stretch-1 routing scheme is one in which every node stores for every destination in the network where to forward the message to. However, for a network with n nodes, this approach requires unscalable $\Omega(n \log n)$ -bit routing tables for every node [GP96]. A *compact* routing scheme is only allowed to have routing tables with sizes sublinear in n and message header sizes polylogarithmic in n . There are two classes of compact routing schemes: *Labeled* schemes are allowed to add labels to node addresses to encode useful information for routing purposes, where each label has length at most polylogarithmic in n . *Name-independent* schemes do not allow the renaming of node addresses, instead they must function with all possible addresses.

1.1 Our Contributions

We bridge the gap between theory and practice in the study of compact routing schemes and distance oracles for *power-law graphs*. In a power-law graph (sometimes also termed *scale-free* network or graph), the number of nodes with degree x is proportional to $x^{-\tau}$, for some constant τ , often between 2 and 3. Experimental results [KFY04] suggest that there are efficient routing schemes for power-law graphs. We provide the first theoretical analysis that directly links the power-law exponent τ of a random power-law graph to the bound on the routing table sizes (and the distance oracle space complexity, respectively).

More specifically, we adapt the labeled universal compact routing scheme of Thorup and Zwick [TZ01] to optimize it for unweighted, undirected power-law graphs. Our adaptations include (a) selecting nodes with the largest degrees as the landmarks instead of random sampling, and (b) directly encoding shortest paths in node labels and message headers instead of relying on a tree routing scheme. The details of the scheme can be found in Section 4; a detailed comparison with [TZ01] is deferred to Section 2.3.

Our complexity analysis (see Section 5) of the routing scheme is based on the random power-law graph model with expected degree sequence proposed by Aiello, Chung and Lu [ACL00, CL02, CL06, Lu02b] with some minor simplifications. We assume the power-law exponent τ to lie in the range of $(2, 3)$, which is the so called “finite mean infinite variance” region of the power-law degree distribution, where most practical power-law networks are assumed to be in.

We prove that for a stretch upper bound of 3, instead of tables of size $\tilde{O}(n^{1/2})$ shown to be optimal up to a polylogarithmic factor for general graphs [TZ01], expected sizes of $O(n^\gamma \log n)$ bits are sufficient, and that the routing tables can be constructed at once in expected time $O(n^{1+\gamma} \log n)$, with $\gamma = \frac{\tau-2}{2\tau-3} + \varepsilon$ and $\varepsilon > 0$ (which implies $\varepsilon < \gamma < 1/3 + \varepsilon$). Both bounds also hold with probability at least $1 - 1/n$ (independent of ε). This means that for all $\tau \in (2, 3)$, we have an upper bound of $\tilde{O}(n^{1/3+\varepsilon})$ on the routing table sizes, which is better than the optimal bound of $\tilde{O}(n^{1/2})$ for general graphs. For values of τ close to 2, for example for $\tau = 2.1$, which is the exponent that fits the power-law distribution well to the degree distribution of the actual Internet inter-domain graph [FFF99, KFY04], our bound is $O(n^{1/12+\varepsilon})$, which indicates that the adapted TZ routing scheme would be very effective on Internet-like

graphs. The routing scheme requires a stretch-5 handshaking (similar to [TZ01, Sec. 4]), and uses addresses and message headers of size $O(\log n \log \log n)$, with probability at least $1 - o(1)$. The efficient encoding using $O(\log n \log \log n)$ bits in addresses and headers relies on specific distance properties of power-law graphs. Our scheme is a *fixed-port* scheme, meaning that it works for any permutation of port number assignments on any node.

We provide simulation results for both random power-law graphs and actual router-level networks, which demonstrate the effectiveness of our adapted compact routing scheme (Section 6).

Using the same techniques, we also adapt the approximate distance oracle by Thorup and Zwick [TZ05] for unweighted, undirected power-law graphs (see Section 7 for details). We prove that, for stretch 3, instead of an oracle of size $O(n^{3/2})$, expected space $O(n^{1+\gamma})$ is sufficient and that the oracle can be constructed in expected time $O(n^{1+\gamma} \log n)$. Again, both bounds also hold with probability at least $1 - 1/n$. Furthermore, we provide a linear-space data structure that can answer 5-approximate distance queries in time at most $\tilde{O}(n^{1/4+\varepsilon})$ (similar to γ , the exponent actually depends on τ and lies between ε and $1/4 + \varepsilon$).

1.2 Organization

We first outline related work on power-law graphs (Section 2.1), (compact) routing schemes (Section 2.2), including a detailed comparison with the routing schemes by Thorup and Zwick (Section 2.3), and approximate distance oracles (Section 2.4). Our routing scheme and distance oracles are for a certain model of random power-law graphs, which we define in Section 3. The compact routing scheme for random power-law graphs is described in Section 4; we analyze its theoretical performance in Section 5 and its experimental performance in Section 6. We provide and analyze approximate distance oracles for random power-law graphs in Section 7. We conclude with a summary and open questions in Section 8.

2 Related Work

2.1 Power-law graphs

Power-law graphs [Mit03] constitute an important family of networks appearing in various real-world scenarios such as the Internet, the World Wide Web, collaboration networks, and social networks [CSN07, FFF99]. In a power-law graph, the number of nodes with degree x is proportional to $x^{-\tau}$, for some constant τ . The power-law exponent τ for many real-world networks is in the range between 2 and 3 [KFY04, Sec. I.B]. Power-law graphs do not seem to belong to any of the well-studied network families such as trees, planar graphs or low doubling dimension graphs (see Section 2 for details). Despite their unique features, power-law graphs are actually not “easy” instances for algorithms. Although power-law graphs are sparse, optimization problems remain hard: problems such as COLORING or CLIQUE are **NP**-hard for power-law graphs as well [FPP08].

Besides the random power-law graph model of Aiello, Chung, and Lu [ACL00, CL02, CL06, Lu02b], other mathematical models for power-law graphs include the configuration model [NSW01], the Poissonian process [NR06], and the preferential attachment model [BA99, KRR⁺00]. Among these, the random power-law graph model is studied very well, providing a rich body of mathematical results. Furthermore, recent empirical studies on compact routing also use this model [BC06, KFY04].

2.2 (Compact) Routing Schemes

Both labeled and name-independent compact routing schemes have been studied extensively. Universal schemes work for all network topologies [AGM06a, AGM06b, AGM⁺08, Cow01, PU89, TZ01]. It has been shown that with $\tilde{O}(n^{1/k})$ -bit routing tables (as usual, we abbreviate $O(f(n) \cdot \log^t n)$ for some constant t by $\tilde{O}(f(n))$) one can achieve a stretch of $O(k)$, and that this tradeoff is essentially tight due to a girth conjecture by Erdős.

Due to these impeding lower bounds for general graphs, specialized schemes were designed for various families of network topologies, including trees [FG01, Kor08, TZ01], planar graphs [GH99, Lu02a], fixed-minor-free graphs [AGM05], or graphs with low doubling dimension [AGGM06, KRX06, KRX07]. These topology-specific schemes achieve significant improvements on the stretch-space tradeoff over universal routing schemes.

Despite their high relevance in practice, the family of power-law graphs has not received much attention from the compact routing community. There are experimental studies of compact routing in power-law graphs and Internet-like graphs. Krioukov et al. [KFY04] evaluate the universal routing scheme of Thorup and Zwick (TZ) [TZ01] on random power-law graphs [ACL00] and provide experimental evidence of much better performance (both in terms of stretch and table sizes) than the theoretical worst-case bound. However, they do not provide a theoretical bound of the TZ scheme on power-law graphs for neither stretch nor table size. Enahescu et al. [EWG08] propose a landmark selection scheme that adapts the TZ scheme and they show empirically that their adaptation achieves good stretch and table sizes for power-law graphs and Internet Autonomous System (AS) graphs. Unfortunately, their theoretical analysis is for Erdős-Rényi random graphs [ER60] instead of power-law graphs. Brady and Cowen [BC06] give a compact routing scheme tailored for power-law graphs with additive stretch d and header and table sizes $O(e \log^2 n)$, where both d and e depend on the graph, and they show experimentally that these values are reasonably small for certain random power-law graphs [ACL00]. However, there is no rigorous analysis connecting d and e to the parameter τ of power-law graphs.

Embedding power-law graphs into *hyperbolic spaces* and using the coordinates appears to be a promising approach for routing in power-law graphs [CC09, PKBV10]. However, current approaches do not offer any guarantees on the worst-case stretch and, furthermore, both success probability and stretch have only been evaluated experimentally so far.

2.3 Detailed comparison with Thorup and Zwick’s routing schemes

Thorup and Zwick [TZ01] contribute two different routing schemes. Their first scheme is a stretch-3 scheme with an $O(n^{1/2} \log^{3/2} n)$ -bit routing table per node and $O(\log n)$ -bit labels and headers. This scheme is based on Cowen’s earlier scheme [Cow01], which uses a small subset A of nodes, called *landmarks*, to route messages. In a graph $G = (V, E)$ with landmark set $A \subseteq V$, for every node u , define its *cluster* $C(u) = \{v \in V : d(v, u) < d(v, A)\}$, where $d(v, u)$ and $d(v, A)$ denote the graph distance from v to u and A , respectively. Let $\ell(u)$ denote the landmark in A that is the closest to node u (ties are resolved arbitrarily). The routing table of node u stores the port identifiers to route messages to all nodes in A and $C(u)$. If a destination v is not in $A \cup C(u)$, u routes through $\ell(v)$, which guarantees a stretch bound of 3 due to the definition of the cluster $C(u)$. Thorup and Zwick use a resampling method to achieve $|A \cup C(u)| = O(n^{1/2} \log^{1/2} n)$ for every node u . It may be tempting to adapt TZ’s first scheme (as described above) for random power-law graphs. Our analysis, however, breaks down due to dependency issues (see Section 5.7 for more details).

The second scheme of Thorup and Zwick [TZ01] is based on their approximate distance oracle [TZ05]. For any $k \geq 2$, they design a compact routing scheme with $\tilde{O}(n^{1/k})$ -bit ta-

bles, $O(k \log^2 n / \log \log n)$ -bit addresses, and $O(\log^2 n / \log \log n)$ -bit headers (the bounds on addresses and headers are for fixed-port schemes). The scheme achieves stretch $2k - 1$ with a stretch $4k - 5$ handshake. For the case of $k = 2$ (comparable to our scheme), their scheme essentially considers the landmark set A together with the *ball* of a node u , $B(u) = \{v : d(v, u) < d(u, A)\}$. Note that balls and clusters are dual concepts: $v \in C(u)$ if and only if $u \in B(v)$. The routing table of u stores the ports to route messages to all nodes in $A \cup B(u)$. Similar to the first scheme, when $v \notin A \cup B(u)$, u routes through $\ell(v)$ to reach v , but in this case it only guarantees a stretch of 5 instead of 3 when $v \notin B(u)$ but $u \in B(v)$. A *handshake* is needed to reduce the stretch to 3. Moreover, a node w on the path from $\ell(v)$ to v may not know the port to route to v from its routing table, since v may not be in $B(w)$ (though $v \in C(w)$). To resolve this issue, Thorup and Zwick further use a tree routing scheme, which requires additional, rather complicated labels. They use random sampling to guarantee that $|A \cup B(u)| = \tilde{O}(n^{1/2})$.

Our scheme is similar to their second scheme. We also use balls and landmarks to route messages. There are two major differences: First, we use high-degree nodes instead of randomly selected nodes as landmarks. The major contribution of the paper is to prove that, with this selection strategy, in random power-law graphs, we achieve $|A \cup B(u)| = O(n^\gamma)$ with $\gamma = \frac{\tau-2}{2\tau-3} + \varepsilon$ and $\varepsilon > 0$, which holds both in expectation and with high probability. Second, instead of using a tree routing scheme, we directly encode the shortest path from $\ell(v)$ to v in v 's address, which is short (with probability $1 - o(1)$) due to the distance properties in random power-law graphs. As a result, our routing table sizes are smaller than the tables in both TZ schemes, and our address and header size of $O(\log n \log \log n)$ is better than TZ's second scheme and close to TZ's first scheme. Our scheme is also simpler than the second scheme and is comparable with the first scheme. This improvement is possible only by tailoring the scheme to unweighted power-law graphs.

2.4 Distance Oracles

Dijkstra's algorithm [Dij59] finds a shortest path in any graph with non-negative edge weights in time $O(n \log n + m)$, where n and m denote the number of nodes and edges respectively. For applications such as navigation software exploring huge maps or for social networking sites, this query time is not practical. Instead, the graph is *preprocessed* and a special data structure allows for efficient *queries*. One way to prepare for queries is to precompute all shortest paths using an All-Pairs Shortest Path algorithm [Cha07] and to read a shortest path from a distance table. Time and memory constraints, however, render this approach impractical. Instead of running a cubic-time algorithm and using quadratic storage, we want to efficiently preprocess a graph to allow for fast distance queries. However, for general (directed) graphs with n vertices, $\Omega(n^2)$ space is necessary to return the shortest distance. *Approximate distance oracles* address the trade-off between approximation ratio, space, and preprocessing and query time, and can thus be interpreted as a generalization of the All-Pairs (Approximate) Shortest Path problem. In the following, we list approaches tailored for complex networks. For recent surveys we refer to [Sen09, Som10].

Thorup and Zwick [TZ05] provide a stretch- $(2k - 1)$ distance oracle of size $\tilde{O}(kn^{1+1/k})$, which can be constructed in time $O(kmn^{1/k})$. Assuming a girth conjecture by Erdős, stretch and size are asymptotically tight for small values of k . For stretch parameter $k = 2$, the distance oracle of Thorup and Zwick has the following worst-case performance: the size is $O(n^{3/2})$ and the stretch is 3. Fortunately, the theoretical worst-case stretch bounds of Thorup and Zwick's distance oracle [TZ05] (and, also, of their routing scheme [TZ01]) are not observed in practice [KFY04], even though they are tight.

Distance oracles and shortest path queries for complex networks have been evaluated ex-

perimentally. Potamias et al. [PBCG09] use *landmark-based A* search* [GH05]. Das Sarma et al. [SGNP10] provide a practical implementation of Bourgain’s embedding [Bou85], and they propose an extension of the distance oracle by Thorup and Zwick [TZ05]. In their extension, they omit ball computations. While the asymptotic performance is not affected, their algorithms both for preprocessing and query are simpler and potentially faster in practice than the corresponding original algorithms. The stretch bounds, however, only hold with high probability. Cheng and Yu [CY09] use *2-hop labels* [CHKZ03] to efficiently compute exact distances. Xiao et al. [XWP⁺09] compress graphs by exploiting symmetries. Instead of treating vertices as a single unit, they work on *orbits of automorphism groups*. Shortest path queries are answered using *compact BFS-trees*, which are based on these orbits. Symmetries in complex networks seem to be very common. Experiments show that their method may be very efficient; the running time of the preprocessing algorithm appears to be roughly quadratic in the number of nodes. Goldman et al. [GSVGM98] consider relationships among objects in large databases. Their method processes keyword searches over databases in interactive query sessions. Distances between objects are computed based on a compact index, which consists of local neighborhoods and distances to *hub* vertices (separators). Hubs are chosen as high-degree nodes.

Although complex networks are very common in practice, to the best of our knowledge, there is no distance oracle with provable guarantees better than those of the general distance oracle of Thorup and Zwick [TZ05].

3 Preliminaries

We adapt the random graph model for fixed expected degree sequence as defined by Aiello, Chung, and Lu [ACL00, CL02, Lu02b, CL06] using the definition from [CL02, Section 2]. We refer to the original random graph distribution using the expression Fixed Degree Random Graph (**FDRG**).

Definition 1 (Fixed Degree Random Graph [CL02, Section 2]). *In a random graph with a given expected degree sequence $\vec{w} = \{w_1, w_2, \dots, w_n\}$ such that $\forall i : w_i^2 < \sum_j w_j$, the edge between v_i and $v_{i'}$ is present in the random graph with probability*

$$\Pr[\{v_i, v_{i'}\} \in E] = w_i w_{i'} \rho, \quad \text{where } \rho = \frac{1}{\sum_j w_j}.$$

In the original **FDRG** model it is assumed that $\forall i, i' : w_i w_{i'} < \sum_j w_j$. We adapt the original model by deterministically inserting edges if $w_i w_{i'} > \sum_j w_j$. Without modification, the original assumption would rule out the values for τ considered in this work.

Definition 2. *For a constant $\tau \in (2, 3)$, the random power-law graph distribution **RPLG**(n, τ) is defined as follows. Let the sequence of generating parameters $\vec{w} = \{w_1, w_2, \dots, w_n\}$ obey a power law:*

$$w_j = \left(\frac{n}{j}\right)^{1/(\tau-1)} \quad \text{for } j \in \{1, 2, \dots, n\}.$$

The edge between v_i and $v_{i'}$ is present in the random graph with probability

$$\Pr[\{v_i, v_{i'}\} \in E] = \min\{w_i w_{i'} \rho, 1\}, \quad \text{where } \rho = \frac{1}{\sum_j w_j}.$$

Note that, in both models, there is a one-to-one correspondence between a node v_j and its generating parameter w_j . In the **FDRG** model, the value w_j corresponds to the expected

degree of vertex v_j , and Chung and Lu refer to \vec{w} as the *expected degree sequence*. In the **RPLG**(n, τ) adaptation, the graph is sampled according to the *generating parameter values* w_j . Let D_j be the random variable denoting the degree of node v_j . In the **RPLG**(n, τ) model, the expected degree $E[D_j]$ of node v_j is less than or equal to the generating parameter w_j . We refer to the edges between two nodes $v_i, v_{i'}$ with $w_i w_{i'} \geq \sum_j w_j$ as *deterministic edges*; we refer to the remaining edges as *random edges*.

An important reason to work with this model is that the edges are independent. This independence makes several graph properties easier to analyze. We also (implicitly) rely on a property called *assortativity*. Assortativity is the tendency of nodes with high degree to attach to other highly connected nodes. This tendency is especially high in social networks. The opposite tendency, termed *dissortativity*, is more common in technological and biological networks. Highly connected nodes tend to be connected with low degree nodes. Li et al. [LADW05, Definition 4.1] formalize assortativity as follows. They define the $s(G)$ value of a graph as $s(G) := \sum_{\{v_i, v_{i'}\} \in E} \deg(v_i) \cdot \deg(v_{i'})$. Graphs sampled from the **FDRG** model tend to have a high $s(G)$ value, since high-degree nodes are attached to other highly connected nodes. Li et al. state that $s(G)$ measures to what extent a graph has a “hub-like core.”

We require that $n = |V(G)|$ is sufficiently large, specifically, that

$$n^{\frac{\varepsilon(2\tau-3)}{\tau-1}} \geq \frac{2(\tau-1)}{\tau-2} \ln n. \quad (1)$$

Our results do not have any other implicit dependencies on ε .

The *core* of a graph consists of nodes having large degrees. Let $\gamma = \frac{\tau-2}{2\tau-3} + \varepsilon$ for some $\varepsilon > 0$ and $\gamma' = \frac{1-\gamma}{\tau-1}$.

Definition 3. For a power-law degree sequence \vec{w} and a graph G with n nodes, the *core with degree threshold* $n^{\gamma'}$, $\gamma' \in (0, 1)$, is defined as follows.

$$\begin{aligned} \text{core}_{\gamma'}(\vec{w}) &:= \{v_i : w_i > n^{\gamma'}\}, \\ \text{core}_{\gamma'}(G) &:= \{v_i : \deg_G(v_i) > n^{\gamma'}/4\}, \end{aligned}$$

where $\deg_G(v_i)$ is the degree of v_i in G (the subscript G is omitted when the graph is clear from the context).

Our $\text{core}_{\gamma'}(\vec{w})$ is the $n^{\gamma'}$ -Core in [Lu02b, Chapter 4, Definition 2].

For each vertex u of a graph G , we define its ball relative to the core as

$$B_G(u) := \{v \in V(G) : d(u, v) < \min_{v' \in \text{core}_{\gamma'}(G)} d(u, v')\}.$$

4 The Adapted Compact Routing Scheme

Let the unweighted graph $G = (V, E)$ model the network. Each node v in the network has a unique $\lceil \log_2 n \rceil$ -bit static name. Whenever we write v in a routing table, a message header, or a node address, we mean its $\lceil \log_2 n \rceil$ -bit static name representation. Each node v has $\deg(v)$ ports connecting it with its neighbors. These ports are numbered by $0, 1, \dots, \deg(v) - 1$, and thus each port number of v requires $\lceil \log_2 \deg(v) \rceil$ bits. For every packet, the routing scheme needs to decide which port the packet is to be forwarded to. Our scheme is a fixed-port scheme, that is, it works with arbitrary permutations of port number assignments.

4.1 Routing Scheme

The routing algorithm is inspired by and based on [Cow01, TZ01]. We also use a set of landmarks $A \subseteq V$, but different from [Cow01, TZ01], we use $\text{core}_{\gamma'}(G)$ as landmarks instead of nodes sampled at random. For each node u in G , let $\ell(u)$ denote u 's closest landmark, that is, $\ell(u) := \arg \min_{v \in \text{core}_{\gamma'}(G)} d(u, v)$. The local targets of node u are defined as the elements of its *ball*

$B_G(u)$. Similar to the second scheme in [TZ01], each node u stores the ports to route messages along the shortest paths to all landmarks and to its local targets. If the target v is neither a landmark nor a local target of u , the message is routed to v 's closest landmark $\ell(v)$ and from there to the target v .

The scheme is a labeled scheme. For a node u to know $\ell(v)$ of any target v , the address of node v contains an encoding of $\ell(v)$. Moreover, for a node w on the shortest path from $\ell(v)$ to v ($w \neq \ell(v)$ and $w \neq v$), v may not be in $B_G(w)$ and thus w may not know the port to route messages to v . To resolve this issue, we further extend the address of v by *encoding* the shortest path from the landmark $\ell(v)$ to v .

Let $(s = u_0, u_1, \dots, u_m = t)$ denote the sequence of nodes on a shortest path from s to t . Let $SP(s, t)$ be the encoding of this shortest path as an array with m entries, wherein $SP(s, t)[i]$ denotes the port to route from u_i to u_{i+1} for all $i = 0, 1, \dots, m - 1$. Thus $SP(s, t)$ can be encoded with $\sum_{i=0}^{m-1} \log_2[\text{deg}(u_i)]$ bits. We now provide the precise definitions of addresses, message headers, and local routing tables.

Definition 4.

- The address of node $u \in V$ is $\text{addr}(u) := (u, \ell(u), SP(\ell(u), u))$.
- The header of a message from node s to node t is in one of the following formats:
 1. **header** = (route, s, t) , where $\text{route} = \text{local}$,
 2. **header** = $(\text{route}, s, \text{addr})$, where $\text{route} = \text{toLandmark}$ and $\text{addr} = \text{addr}(t)$,
 3. **header** = $(\text{route}, s, t, \text{pos}, SP)$, where $\text{route} \in \{\text{fromLandmark}, \text{direct}\}$, pos is a non-negative integer that may be modified along the route, and $SP = SP(s, t)$ if $\text{route} = \text{direct}$ or $SP = SP(\ell(t), t)$ if $\text{route} = \text{fromLandmark}$,
 4. **header** = (route, s, t, SP) , where $\text{route} = \text{handshake}$ and SP is a reversed shortest path from t to s to be encoded along the path from s to t .
- The local routing table for each node u consists of the information about routes to the core and the information about local routes:

$$\text{tbl}(u) := \{(v, \text{port}_u(v)) : v \in \text{core}_{\gamma'}(G)\} \cup \{(v, \text{port}_u(v)) : v \in B_G(u)\},$$

where $\text{port}_u(v)$ is the local port of u to route messages towards node v along some shortest path from u to v .

The routing procedure is described in Algorithm 1. It includes pseudocode for the source node s to determine the method of sending a message to target t (Lines 1–10), based on whether t is local or not and whether a shortest path to t is known due to an earlier handshake or not. It also includes pseudocode for an intermediate node u to determine whether to forward the message using its local routing table (Lines 20 and 26), or to forward the message using the shortest path encoded in the header (Lines 22–24), or to switch the routing direction from towards the landmark $\ell(t)$ to towards the target t (Lines 16–18). The correctness of the algorithm is based

Algorithm 1 LANDMARKBALLROUTING on node u , with source s , target $t \neq s$, and header **header**.

```

1: if  $u = s$  then
2:   if  $t \in B_G(s)$  then
3:     send packet with header = (local,  $s, t$ ) using  $\text{port}_s(t)$  stored in  $\text{tbl}(s)$ 
4:   else if  $u$  knows  $SP(s, t)$  /* due to handshake */ then
5:     send packet with header = (direct,  $s, t, 0, SP(s, t)$ ) using port  $SP(s, t)[0]$ 
6:   else
7:     send packet with header = (toLandmark,  $s, \text{addr}(t)$ ) using  $\text{port}_s(\ell(t))$  stored in  $\text{tbl}(s)$ 
8:   end if
9:   exit
10: end if
11: /*  $u \neq s$  */
12: if  $u = \text{header}.t$  then
13:   exit as the packet arrived.
14: end if
15: if  $\text{header}.route = \text{toLandmark}$  then
16:   if  $u = \text{header}.addr.\ell(t)$  then
17:      $\text{header}.route \leftarrow \text{fromLandmark}; \text{header}.pos \leftarrow 0; \text{header}.SP \leftarrow$ 
        $\text{header}.addr.SP(\ell(t), t);$ 
18:     forward packet with the new header using port  $\text{header}.SP[0]$ 
19:   else
20:     forward the packet to  $\text{port}_u(\text{header}.addr.\ell(t))$  stored in  $\text{tbl}(u)$ 
21:   end if
22: else if  $\text{header}.route \in \{\text{fromLandmark}, \text{direct}\}$  then
23:    $\text{header}.pos \leftarrow \text{header}.pos + 1$ 
24:   forward the packet using port  $\text{header}.SP[\text{header}.pos]$ 
25: else if  $\text{header}.route = \text{local}$  then
26:   forward the packet using  $\text{port}_u(\text{header}.t)$  stored in  $\text{tbl}(u)$ 
27: end if

```

on the simple observation that if $t \in B_G(s) \cup \text{core}_{\gamma'}(G)$ (and thus t is in the routing table of s), then, for all nodes w on the shortest path from s to t , we also have $t \in B_G(w) \cup \text{core}_{\gamma'}(G)$.

An additional handshake protocol (Algorithm 2) handles the special case when $t \notin B_G(s)$ but $s \in B_G(t)$. In this case, the basic LANDMARKBALLROUTING scheme only achieves worst-case stretch 5 instead of 3. However, t knows the reverse path from t to s . Since the graph is undirected, t can send a special **handshake** message back to s (Line 2), and each node along the path encodes the reverse port number such that, in the end, s knows the shortest path from s to t (Lines 3–10). For simplicity of exposition we use the reasonable assumption [AGM06a] that node u knows the port q on which the message is received. If this assumption does not hold, our handshake protocol can be adapted accordingly as follows. In the routing table of a node u , for all $v \in B_G(u) \cup \text{core}_{\gamma'}(G)$, we also store a $\text{rev-port}_u(v) = \text{port}_w(u)$, where w is the first node on the path from u to v . Then, when forwarding the **handshake** message from t to s , every node u on the path (including t) prepends $\text{rev-port}_u(s)$ to the SP in the header. This increases the routing table size by at most $\lceil \log_2 n \rceil$ bits per entry. Note that, in Algorithm 2, we also include the case of $s \in \text{core}_{\gamma'}(G)$ (see Line 1), in which case the stretch is improved from 3 to 1. The performance of Algorithms 1 and 2 is evaluated in the following theorem, which is proven in the next section.

Algorithm 2 Handshake protocol on node u upon the receipt of a packet from a port q with header `header`.

```

1: if header.route = fromLandmark and  $u = \text{header.t}$  and  $\text{header.s} \in B_G(u) \cup \text{core}_{\gamma'}(G)$ 
   then
2:   send packet with header = (handshake, u, header.s, Nil) using  $\text{port}_u(\text{header.s})$  stored
   in  $\text{tbl}(u)$ .
3: else if header.route = handshake then
4:   header.SP = q · header.SP /* prepend the port  $q$  as part of the reverse path */
5:   if  $\text{header.t} = u$  /* reach handshake destination */ then
6:     store  $SP(u, \text{header.s}) = \text{header.SP}$  locally for later use (see Line 4 of LANDMARK-
     BALLROUTING.)
7:   else
8:     forward packet with the new header to  $\text{port}_u(\text{header.t})$  stored in  $\text{tbl}(u)$ .
9:   end if
10: end if

```

Theorem 1. LANDMARKBALLROUTING together with the handshake protocol is a routing scheme with the following properties:

- the worst-case stretch is 5 without handshaking,
- the worst-case stretch is 3 after handshaking, and
- every routing decision takes constant time.

Let $\gamma = \frac{\tau-2}{2\tau-3} + \varepsilon$ be a constant. Assume Equation (1) is satisfied. For random graphs sampled from $\mathbf{RPLG}(n, \tau)$, LANDMARKBALLROUTING has the following performance properties:

- the expected maximum table size is $O(n^\gamma \log n)$ bits; this bound also holds with probability at least $1 - 1/n$,
- address length and message header size are $O(\log n \log \log n)$ bits with probability $1 - o(1)$, and
- addresses and routing tables can be generated efficiently in expected time $O(n^{1+\gamma} \log n)$ and this bound also holds with probability at least $1 - 1/n$.

5 Analysis of the Compact Routing Scheme

In this section, we analyze the performance of LANDMARKBALLROUTING for random power-law graphs.

5.1 Stretch

The proofs use the triangle inequality as in [Cow01, TZ01].

Lemma 5. LANDMARKBALLROUTING has worst-case stretch 5. After handshaking with stretch 5, LANDMARKBALLROUTING has worst-case stretch 3.

Proof. By the triangle inequality [Cow01], it is easy to verify the worst-case stretch 3 after handshaking. Before handshaking, the worse-case stretch happens when $t \notin B_G(s)$ and $s \in B_G(t)$. It holds that $d(s, t) \geq d(s, \ell(s))$. The radius of t 's ball is at most $d(t, \ell(t)) \leq d(t, \ell(s)) \leq$

$d(\ell(s), s) + d(s, t)$. Also, the distance from s to t 's landmark is at most $d(s, \ell(t)) \leq d(s, t) + d(t, \ell(t))$. This results in a total path length of at most

$$d(s, \ell(t)) + d(\ell(t), t) \leq d(s, t) + 2d(t, \ell(t)) \leq d(s, t) + 2(d(\ell(s), s) + d(s, t)) \leq 5d(s, t).$$

□

5.2 Random Power-Law Graphs and their Cores and Balls

We first prove some properties of the adapted random power-law graph model. Let G be a random graph sampled from $\mathbf{RPLG}(n, \tau)$. For a set of nodes S , define its *volume* $Vol(S)$ as the sum of all its nodes' w_i , that is, $Vol(S) := \sum_{v_i \in S} w_i$. We abbreviate $Vol(G) = Vol(V(G))$. Note that $Vol(G) = 1/\rho$. Let $vol(S)$ denote the sum of the nodes' degrees in the actual graph G , $vol(S) := \sum_{v_i \in S} \deg_G(v_i)$. The following lemma proves that $Vol(G)$ is linear in n .

Lemma 6. *Let G be a random graph sampled from $\mathbf{RPLG}(n, \tau)$. The volume $Vol(G)$ satisfies*

$$n < Vol(G) \leq \frac{\tau - 1}{\tau - 2}n.$$

Proof. Lower bound: it holds that $\sum_k w_k > n$, as $\forall k < n : w_k > 1$ and $w_n = 1$.
Upper bound: it holds that

$$Vol(G) = \sum_{k=1}^n w_k < w_1 + \int_1^n \left(\frac{n}{x}\right)^{1/(\tau-1)} dx \leq \frac{\tau - 1}{\tau - 2}n.$$

□

In the following, we show concentration results for the actual degree of a vertex and for the volume of a set of vertices in the adapted $\mathbf{RPLG}(n, \tau)$ model. We also restate the corresponding results in the original \mathbf{FDRG} model. The basic idea to prove the results for the $\mathbf{RPLG}(n, \tau)$ model is to split the random variable for the degree D_i of node v_i into deterministic and random edges and then bound both parts individually.

Lemma 7 ([CL06, Lemma 5.6], generalized from [McD98, Theorem 2.7]). *For a random graph sampled from $\mathbf{FDRG}(\vec{w})$, the random variable D_i measuring the degree of vertex v_i is concentrated around its expectation w_i as follows:*

$$\Pr[D_i > w_i - c\sqrt{w_i}] \geq 1 - e^{-c^2/2} \tag{2}$$

$$\Pr[D_i < w_i + c\sqrt{w_i}] \geq 1 - e^{-\frac{c^2}{2(1+c/(3\sqrt{w_i}))}} \tag{3}$$

Lemma 8 ([CL06, Lemma 5.9]). *For a random graph sampled from $\mathbf{FDRG}(\vec{w})$, for a subset of vertices S and for all $0 < c \leq \sqrt{Vol(S)}$,*

$$\Pr[|vol(S) - Vol(S)| < c\sqrt{Vol(S)}] \geq 1 - 2e^{-c^2/6}.$$

Lemma 9. *Let $n \geq 4^{\frac{\tau-1}{(\tau-2)^2}}$. For a random graph sampled from $\mathbf{RPLG}(n, \tau)$, if $w_i \geq 32 \ln n$, for vertex v_i , the degree D_i satisfies the following: $\Pr[w_i/4 \leq D_i \leq 3w_i] > 1 - 2/n^4$.*

Proof. Recall that $\rho = 1/\text{Vol}(G) < 1/n$ (by Lemma 6). For $1 \leq i \leq n$, let $h(i) \in [1, n]$ denote the smallest integer such that $\rho w_{h(i)} w_i \leq 1$. Consider $h(1)$. Since $\rho w_1 (\frac{n}{n^{3-\tau}})^{1/(\tau-1)} \leq 1$, we have that $h(1) \leq \lceil n^{3-\tau} \rceil$. Therefore, for all $1 \leq i \leq n$, $h(i) \leq h(1) \leq \lceil n^{3-\tau} \rceil$.

We split the degree D_i into two parts: the contribution by edges to nodes v_j with $j < h(i)$ and the contribution stemming from edges to nodes v_j with $j \geq h(i)$. When $h(i) \geq 1$, there are at least $h(i) - 1$ edges to nodes v_j with $j \leq h(i)$. Now consider the edges between v_i and v_j for $j \geq h(i)$. Since the sequence \vec{w} is monotonically decreasing, and since $n^{3-\tau} \geq 1$ and $n \geq 4^{\frac{\tau-1}{(\tau-2)^2}}$,

$$\begin{aligned} \sum_{i=h(i)}^n w_i &\geq \int_{n^{3-\tau}+1}^n (n/x)^{1/(\tau-1)} dx \\ &\geq \frac{\tau-1}{\tau-2} (n - n^{1/(\tau-1)} 2^{\frac{\tau-2}{\tau-1}} n^{\frac{\tau-2}{\tau-1}(3-\tau)}) \\ &\geq \frac{\tau-1}{2(\tau-2)} n. \end{aligned}$$

Recall that $\rho = 1/\sum_{i=1}^n w_i \geq \frac{\tau-2}{n(\tau-1)}$ by Lemma 6. Let D'_i be the random variable denoting the number of edges from v_i to v_j with $j \geq h(i)$ in a random graph. Thus, $E[D'_i] = \mu = \rho w_i \sum_{j=h(i)}^n w_j \geq w_i/2 \geq 16 \ln n$. Also $\mu \leq w_i$. Since there are no deterministic edges in this case, the random variable D'_i can be bounded using Lemma 7:

$$\begin{aligned} \Pr[D'_i > \mu/2] &\geq 1 - e^{-\mu/4} \geq 1 - 1/n^4, \\ \Pr[D'_i < 2\mu] &\geq 1 - e^{-3\mu/8} \geq 1 - 1/n^4. \end{aligned}$$

If $h(i) = 1$, the lemma follows directly. If $h(i) > 1$, we have $D_i \leq D'_i + h(i) - 1$. Notice that $\rho w_i (n/w_i)^{1/(\tau-1)} \leq 1$, which implies that $h(i) \leq \lceil w_i \rceil \leq w_i + 1$. Therefore,

$$\Pr[w_i/4 \leq \mu/2 \leq D_i \leq 3w_i] \leq 1 - 2/n^4.$$

□

Lemma 10. *Let G be a random graph sampled from $\mathbf{RPLG}(n, \tau)$. For a subset of vertices S satisfying $\text{Vol}(S) \geq 192 \ln n$, it holds with probability at least $1 - 2/n^3$ that $\text{Vol}(S)/8 \leq \text{vol}(S) \leq 4 \text{Vol}(S)$.*

Proof. We split S into two parts. Nodes v_i with small w_i , $S_1 := \{v_i \in S : w_i < 32 \ln n\}$, and nodes v_i with large w_i , $S_2 = S \setminus S_1$. By Lemma 9, $\Pr[\text{Vol}(S_2)/4 \leq \text{vol}(S_2) \leq 3 \text{Vol}(S_2)] \geq 1 - 2|S_2|/n^4$.

As for each vertex $v_i \in S_1$, $w_i < 32 \ln n$, we can apply Lemma 8 to S_1 , since no deterministic edges are attached to S_1 . Therefore, if $\text{Vol}(S_1) \geq 96 \ln n$, by Lemma 8, $\Pr[\text{Vol}(S_1)/2 \leq \text{vol}(S_1) \leq 2 \text{Vol}(S_1)/3] \geq 1 - 2/n^4$. Therefore, the statement holds with probability at least $1 - 2(|S_2| + 1)/n^4 \geq 1 - 2/n^3$.

If $\text{Vol}(S_1) < 96 \ln n$, we have $\text{Vol}(S_2) \geq \text{Vol}(S)/2 \geq 96 \ln n$. Nevertheless, we can still apply Lemma 8 to bound $\text{vol}(S_1)$ from above as $\Pr[\text{vol}(S_1) < \frac{3}{2} \cdot 96 \ln n \leq \frac{3}{4} \text{Vol}(S)] \geq 1 - 2/n^4$. In this case, since $\Pr[\text{Vol}(S)/8 \leq \text{Vol}(S_2)/4 \leq \text{vol}(S_2) \leq 3 \text{Vol}(S_2)] \geq 1 - 2|S_2|/n^4$, the statement also holds with probability at least $1 - 2/n^3$.

□

Corollary 11. *The number of edges of a random graph sampled from $\mathbf{RPLG}(n, \tau)$ is at most $\text{vol}(G)/2 \leq \frac{4(\tau-1)}{\tau-2} n$ with probability at least $1 - 1/n^2$.*

There is an edge between two nodes v_i, v_j with probability proportional to w_i and w_j . This is generalized for sets of nodes $S, T \subseteq V(G)$ in the following and holds for both **FDRG**(\vec{w}) and **RPLG**(n, τ).

Lemma 12 ([CL02, Lemma 3.3], proof in [Lu02b, Lemma 9]). *For any two disjoint subsets S and T with $\text{Vol}(S) \cdot \text{Vol}(T) > c \cdot \text{Vol}(G)$, we have*

$$\Pr[d(S, T) > 1] = \prod_{v_i \in S, v_j \in T} \max\{0, (1 - w_i w_j / \text{Vol}(G))\} \leq e^{-c}.$$

5.3 Core size

To compute the size of $\text{core}_{\gamma'}(\vec{w})$, we solve the inequality $w_k > n^{\gamma'}$ and obtain k .

$$\begin{aligned} w_k &= \left(\frac{n}{k}\right)^{\frac{1}{\tau-1}} > n^{\gamma'} \Leftrightarrow k^{-\frac{1}{\tau-1}} > n^{\gamma' - \frac{1}{\tau-1}} \\ &\Leftrightarrow k < n^{(1-\tau)(\gamma' - \frac{1}{\tau-1})} = n^{\gamma'(1-\tau)+1} \end{aligned}$$

As $\gamma' = \frac{1-\gamma}{\tau-1}$, we have $|\text{core}_{\gamma'}(\vec{w})| = \lceil n^{\gamma'(1-\tau)+1} \rceil - 1 = \lceil n^\gamma \rceil - 1$.

Even if the same degree threshold $n^{\gamma'}$ is used for $\text{core}_{\gamma'}(\vec{w})$ and $\text{core}_{\gamma'}(G)$, the two sets of nodes may differ. For a slightly smaller degree threshold $n^{\gamma'}/4$ (as in Definition 3), the core of the actual graph contains $\text{core}_{\gamma'}(\vec{w})$ with high probability (apply Lemma 9).

Lemma 13. *Let G be a random graph sampled from **RPLG**(n, τ). With probability at least $1 - 1/n^2$ it holds that $\text{core}_{\gamma'}(\vec{w}) = \{v_i : w_i > n^{\gamma'}\} \subseteq \{v_i : \deg(v_i) > n^{\gamma'}/4\} = \text{core}_{\gamma'}(G)$.*

Proof. Let v_i be a vertex in $\text{core}_{\gamma'}(\vec{w})$. By Lemma 9, $D_i \geq n^{\gamma'}/4$ with probability at least $1 - 2/n^4$. This holds for all $j \leq i$. Therefore, by union bound, the probability that $\text{core}_{\gamma'}(\vec{w}) \subseteq \{v_i : \deg(v_i) > n^{\gamma'}/4\}$ is at least $1 - 1/n^2$. \square

Lemma 14. *Let G be a random graph sampled from **RPLG**(n, τ). With probability at least $1 - 1/n^2$, $|\text{core}_{\gamma'}(G)| = \Theta(n^\gamma)$.*

Proof. Since $\text{core}_{\gamma'}(G)$ contains $\text{core}_{\gamma'}(\vec{w})$ with high probability ($1 - 1/n^2$), its size is at least n^γ with high probability.

Let $i = 144n^\gamma$. By Lemma 9, $D_i \leq 3w_i < n^{\gamma'}/4$ with probability at least $1 - 2/n^4$. This holds for all $j \in (i, n]$. By union bound, $\text{core}_{\gamma'}(G)$ does not contain any vertex v_j for $i \leq j \leq n$, with probability at least $1 - 1/n^2$, which implies $|\text{core}_{\gamma'}(G)| \leq 144n^\gamma$ with probability at least $1 - 1/n^2$. \square

5.4 Ball sizes

Let G be a random graph sampled from random power-law graph. Recall that a ball is defined by

$$B_G(u) = \{v \in V(G) : d(u, v) < \min_{v' \in \text{core}_{\gamma'}(G)} d(u, v')\}.$$

Lemma 15. *Let $\beta = \gamma'(\tau - 2) + \frac{(2\tau-3)\varepsilon}{\tau-1}$ be a constant. Assume Equation (1) is satisfied. For a random graph G sampled from **RPLG**(n, τ), with probability at least $1 - 3/n^2$, it holds that for all $u \in V(G)$,*

$$\begin{aligned} |B_G(u)| &= |\{u' \in V(G) : d(u, u') < d(u, \text{core}_{\gamma'}(\vec{w}))\}| = O(n^\beta), \\ |E(B_G(u))| &= O(n^\beta \log n), \end{aligned}$$

where $E(B_G(u))$ is the set of internal edges among vertices in $B_G(u)$.

Since for **RPLG**(n, τ) the edges are independent, in our analysis, the existence of every edge in random graph G is only determined when it is needed, and before that it is treated as a probability distribution as defined in our random graph model. We call the determination of the existence of an edge according to its probability distribution *revealing* the edge.

For a given vertex $u \in V(G)$, we define a sequence of balls ($B_0 = \{u\}, B_1, B_2, \dots$) as follows: Let $V' = V \setminus \text{core}_{\gamma'}(\vec{w})$. Now define $B_0 = \{u\}$ and $B_i = \{v : d_G(u, v) \leq i\}$. We also define the circles $C_i = B_i \setminus B_{i-1}$ for $i \geq 0$ with $B_{-1} = \emptyset$. Let E_i be the number of edges between C_i and $C_i \cup C_{i+1}$. We first give a concentration result on E_i .

Lemma 16. *For circle C_i , the following holds with probability at least $1 - 2/n^3$:*

$$\begin{aligned} \text{If } \text{Vol}(C_i) < 192 \ln n, \text{ then } E_i &\leq 4 \cdot 192 \ln n, \text{ and} \\ \text{if } \text{Vol}(C_i) \geq 192 \ln n, \text{ then } E_i &\leq 4 \text{Vol}(C_i). \end{aligned}$$

Proof. For our analysis, we assume that the edges of the random graph are revealed in consecutive steps as follows: in step i with $i \geq 0$, edges from C_i to $V' \setminus B_{i-1}$ are revealed and circle C_{i+1} is formed. In other words, when discovering C_i , the edges between C_i and $V'' = V' \setminus B_{i-1}$ have not been revealed yet.

In particular, E_i measures the number of edges between C_i and V'' under the condition that we know all edges adjacent to B_{i-1} . We can define another random graph G' on the vertex set V'' , such that the edge between two vertices in V'' is sampled with the same probability as in **RPLG**(n, τ). Clearly, E_i and $\text{vol}_{G'}(C_i)$ have the same distribution, where $\text{vol}_{G'}(C_i)$ denotes the number of edges adjacent to C_i in G' .

Let $\text{vol}(C_i)$ denote the random variable measuring the number of edges adjacent to C_i in the original model **FDRG**. $\text{vol}_{G'}(C_i)$ is *stochastically dominated* by $\text{vol}(C_i)$. Hence, the lemma directly follows since it applies to $\text{vol}(C_i)$ by Lemma 10. \square

Since there are at most n circles, Lemma 16 holds for all circles with probability at least $1 - 2/n^2$. We are now ready to prove Lemma 15.

Proof of Lemma 15. Let k be the smallest integer such that $\text{Vol}(B_k) \geq n^\beta$. We have the conditions $\text{Vol}(B_k) \geq n^\beta$, $\text{Vol}(\text{core}_{\gamma'}(\vec{w})) \geq |\text{core}_{\gamma'}(\vec{w})| n^{\gamma'} = n^{\gamma+\gamma'}$, and $\text{Vol}(G) \leq \frac{\tau-1}{\tau-2} n$ (Lemma 6). From Equation (1), $n^{\beta-\gamma'(\tau-2)} > 2 \frac{\tau-1}{\tau-2} \ln n$. Since the edges between B_k and $\text{core}_{\gamma'}(\vec{w})$ have not been revealed, Lemma 12 can be applied. Due to Lemma 12, there is an edge between B_k and $\text{core}_{\gamma'}(\vec{w})$ with probability at least $1 - 1/n^2$. Recall that $\text{core}_{\gamma'}(\vec{w}) \subseteq \text{core}_{\gamma'}(G)$ with probability at least $1 - 1/n^2$ by Lemma 13. Hence $B_G(u) \subseteq B_k$ with probability at least $1 - 2/n^2$.

In the following, we bound the size of B_k . Lemma 16 holds for all circles with high probability. In our case, $\text{Vol}(C_{k-1}) \leq \text{Vol}(B_{k-1}) < n^\beta$. By Lemma 16, $|C_k| \leq E_{k-1} \leq 4n^\beta$ with probability at least $1 - 1/n^2$. Then, $|B_k| = |B_{k-1}| + |C_k| \leq \text{Vol}(B_{k-1}) + |C_k| \leq 5n^\beta$.

Since $B_G(u) \subseteq B_k$ with probability at least $1 - 2/n^2$, we have $|E(B_G(u))| = O(\text{vol}(B_{k-1}(u))) = O\left(\sum_{i=0}^{k-1} E_i\right)$, with probability at least $1 - 2/n^2$.

By Lemma 16, with probability at least $1 - 1/n^2$, $E_i \leq 4 \cdot 192 \ln n + 4 \text{Vol}(C_i)$ for all i . Since $k \leq n^\beta$, with probability at least $1 - 3/n^2$,

$$|E(B_G(u))| = O\left(\sum_{i=0}^{k-1} E_i\right) = O(4 \cdot 192 n^\beta \ln n + 4 \text{Vol}(B_{k-1})) = O(n^\beta \log n).$$

\square

5.5 Table Sizes and Computations

The core $\text{core}_{\gamma'}(G)$ has size $\Theta(n^\gamma)$ with probability at least $1 - 1/n^2$ (Lemma 14) and all balls $B_G(u)$ have size $O(n^\gamma)$ with probability at least $1 - 3/n^2$ (Lemma 15). Therefore, we have the following result.

Lemma 17. *For a random graph G sampled from $\mathbf{RPLG}(n, \tau)$, for all $u \in V(G)$, the expected table size is at most*

$$|\mathbf{tbl}(u)| = O(n^\gamma)$$

and all tables can be generated in expected time at most $O(n^{1+\gamma} \log n)$. These bounds also hold with probability at least $1 - 1/n$.

Proof. Note that each entry of $\mathbf{tbl}(u)$ has $O(\log n)$ bits. Thus the total table size per node is $O(n^\gamma \log n)$ bits.

Our algorithm is deterministic. The expected time (space) complexity is the average running time (space) of our algorithm over all graphs from the random graph distribution $\mathbf{RPLG}(n, \tau)$.

Given a graph G with n nodes and m edges, our algorithm computes the core $\text{core}_{\gamma'}(G)$ of G with time complexity $O(m + n \log n)$. It runs a complete breadth-first search for each node of the core in time $O(m)$. Let $B_G(u)$ be the ball computed in our algorithm for vertex u . Let $T(B_G(u))$ denote the time to compute $B_G(u)$. Therefore, the time complexity TC and space complexity SC of our algorithm are at most

$$TC(G) = O\left(m \cdot |\text{core}_{\gamma'}(G)| + \sum_{v \in V(G)} T(B_G(v))\right), \quad (4)$$

$$SC(G) = O\left(n \cdot |\text{core}_{\gamma'}(G)| + \sum_{v \in V(G)} |B_G(v)|\right). \quad (5)$$

We now know that with probability at least $1 - 5/n^2$, all of the following conditions are true: (1) $m = \Theta(n)$ (Corollary 11); (2) $|\text{core}_{\gamma'}(G)| = \Theta(n^\gamma)$ (Lemma 14); (3) $|B_G(u)| = O(n^\beta)$ for all vertices u (Lemma 15); (4) $T(B_G(u)) = O(n^\beta \log n)$ for all vertices u (Lemma 15). Therefore, from Equations (4) and (5), we know that with probability at least $1 - 5/n^2$, the space complexity of our algorithm is $O(n^{1+\gamma} + n^{1+\beta})$ and the time complexity is $O(n^{1+\gamma} + n^{1+\beta} \log n)$.

Finally, we fix the parameters to obtain a balanced scheme. In a balanced scheme, the core size and the expected ball sizes are asymptotically equivalent, that is, $\beta = \gamma$. Together with $\beta = \gamma'(\tau - 2) + \frac{(2\tau-3)\varepsilon}{\tau-1}$ and $\gamma' = \frac{1-\gamma}{\tau-1}$, we have $\gamma = \frac{\tau-2}{2\tau-3} + \varepsilon$. Therefore, assuming that Equation (1) is satisfied, the space requirement per node is $O(n^\gamma \log n)$ bits and the preprocessing time is bounded by $O(n^{1+\gamma} \log n)$, which holds with probability at least $1 - 1/n$. \square

5.6 Address Lengths

We now bound the number of bits for the address of each vertex. For one vertex u , its address contains the encoding of the shortest path $SP(u, \ell(u))$ from u to its landmark $\ell(u)$. We need to bound the diameter of a random power-law graph and the diameter of its core. The proofs in [CL02] on diameters can be carried over to our adapted model.

Lemma 18 (Chung and Lu [CL02, Claim 4.4]). *For a random graph sampled from $\mathbf{RPLG}(n, \tau)$, with probability at least $1 - o(1)$, the diameter of its largest connected component is $\Theta(\log n)$.*

By Lemma 18, the length of $SP(u, \ell(u))$ is at most $O(\log n)$ asymptotically almost surely. Therefore, $SP(s, t)$ can be encoded with $O(\log^2 n)$ bits. This bound can be improved to $O(\log n \cdot \log \log n)$, as proven in the following lemma.

Lemma 19. For a random graph G sampled from $\mathbf{RPLG}(n, \tau)$, with probability at least $1 - o(1)$, it holds that for all $s, t \in V(G)$, $SP(s, t)$ can be encoded with $O(\log n \log \log n)$ bits.

The proof is split into several claims from [CL02]. We first extend the core.

Definition 20. The extended core of a random graph from $\mathbf{RPLG}(n, \tau)$ contains all nodes v_i with w_i at least $n^{1/\log \log n}$, that is, $\text{core}^+(\vec{w}) = \{v_i \in V : w_i \geq n^{1/\log \log n}\}$.

Note that, as τ is a constant, $1/\log \log n \leq \gamma'$ for large enough n , and thus $\text{core}^+(\vec{w}) \supseteq \text{core}_{\gamma'}(\vec{w})$. The following lemma constitutes a bound for the diameter of the core. This is from the fact that the extended core “contains” a dense Erdős-Rényi [ER60] random graph.

Lemma 21 (Chung and Lu [CL02, Claim 4.1]). Let G be a random graph sampled from $\mathbf{RPLG}(n, \tau)$. The diameter of the subgraph induced by $\text{core}^+(\vec{w})$ in G is $O(\log \log n)$ with probability at least $1 - 1/n$.

The next lemma proves that a vertex v_i with large enough w_i is close to the extended core.

Lemma 22 (Chung and Lu [CL02, Claim 4.2]). Let G be a random graph sampled from $\mathbf{RPLG}(n, \tau)$. There exists a constant C , such that each vertex v_i with $w_i \geq \log^C n$ is at distance $O(\log \log n)$ from the extended core, with probability at least $1 - 1/n^2$.

Corollary 23 (Corollary of Lemma 22). Let G be a random graph sampled from $\mathbf{RPLG}(n, \tau)$. Let C be the constant in Lemma 22. With probability at least $1 - 1/n$, the distance between any two vertices v_i, v_j with $w_i \geq \log^C n$ and $w_j \geq \log^C n$ is $O(\log \log n)$.

Proof of Lemma 19. Let v_i and v_j be the first and the last vertex in $SP(s, t)$ from s to t such that w_i and w_j both are greater than $\log^C n$, where C is the constant from Lemma 22. By Corollary 23, with probability $1 - 1/n$, the portion of the shortest path $SP(s, t)$ between v_i and v_j has length at most $O(\log \log n)$. Therefore, this portion of the shortest path can be encoded with $O(\log n \log \log n)$ bits, with probability $1 - 1/n$.

For the rest of the shortest path, each node has w_i at most $\log^C n$. By Lemma 9, all such nodes have degree at most $3 \log^C n$ with probability at least $1 - 2/n^3$. To encode the next neighbor in the shortest path, at most $O(\log \log n)$ bits are necessary. Since $SP(s, t)$ contains $O(\log n)$ nodes with probability $1 - o(1)$ (Lemma 18), the rest of the shortest path can also be encoded with $O(\log n \log \log n)$ bits, with probability $1 - o(1)$. \square

Corollary 24. For a random graph G sampled from $\mathbf{RPLG}(n, \tau)$, with probability at least $1 - o(1)$, it holds that for all $u \in V(G)$, the address $\text{addr}(u)$ can be encoded with $O(\log n \log \log n)$ bits.

5.7 Additional Remarks — why we bound ball sizes instead of cluster sizes

We give a more detailed explanation on why our analysis does not work to bound cluster sizes.

Our analysis crucially relies on Lemma 12 (from [CL02]), using which we bound the ball sizes $|B(u)|$. When trying to bound the size of the cluster $C(u)$, the analysis breaks as follows: The lemma can be applied only in random graphs in which the edges between two sets $C(u)$ and A are independently and randomly selected according to the random power-law graph model, after the sets $C(u)$ and A have been fixed. In other words, to apply Lemma 12, one has to first fix two sets $C(u)$ and A without revealing any random edges between $C(u)$ and A in the random graphs. After set A is determined, $C(u)$ is defined to be the set $\{v : d(v, u) < d(v, A)\}$. But to determine $C(u)$, one must know the distance from v to A , which means the random edges between v and A have been revealed, and in particular, if there is an edge between v and some

node in A , then v is not in $C(u)$ (since for all $v \in C(u)$, we have that $d(v, A) > d(v, u) \geq 1$). In this case, $C(u)$ has been biased to be a set “far away” from A , and since the randomness of the edges between $C(u)$ and A is no longer there, one can no longer apply Lemma 1 to derive an upper bound on the size of $C(u)$.

On the contrary, when we use balls, those balls B_0, B_1, \dots can be determined without revealing any edges between the balls and the core. Therefore we can still apply Lemma 12 to limit the sizes of the balls.

6 Experimental Evaluation of the Compact Routing Scheme

In this section, we experimentally demonstrate the efficiency of our scheme. We use the following datasets in our experiments.

Real-world graphs. The most important application scenario for a compact routing scheme is arguably a communication network. The router-level topology of a portion of the Internet, measured by CAIDA [Coo03], is an undirected, unweighted graph with 190,914 nodes and 607,610 edges. The estimated power-law exponent (maximum likelihood method [New05]) is $\hat{\tau} = 2.82$.

Random Power-Law Graphs. We extracted the largest connected component from the random power-law graphs generated by Brady and Cowen [BC06] (pre-generated graphs, $N = 10,000$ and $\tau \in (2, 3)$), downloaded from <http://digg.cs.tufts.edu/>.

In addition, we generated graphs of 10,000 nodes with the tool BRITE [MLMB01] using the configurations for the Barabási [BA99] and Waxman [Wax88] models for an Autonomous System Topology (AS) and a Router Topology (RT) — the precise configurations are listed in Section 6.1. The edge weights were ignored and the links interpreted as undirected.

Note that for all the random graphs considered, the generation process does not exactly match the $\mathbf{RPLG}(n, \tau)$.

Routing schemes. In the specification of our routing scheme LANDMARKBALLROUTING, we use $n^{\gamma}/4$ as a degree threshold (Definition 3) and obtain a core of size $\Theta(n^{\gamma})$. The largest connected components of the graphs generated by Brady and Cowen [BC06] and the graphs generated using BRITE [MLMB01] do not contain nodes with such a high degree. Therefore, for the experiments with our routing scheme, the algorithm selects the $\lceil n^{\gamma} \rceil$ nodes with the highest degrees as landmarks. In practice, this might indeed be a better strategy.

We compare our high-degree selection strategy with the random selection with probability $n^{-1/2}$, which is *similar* to Thorup and Zwick [TZ01] for $k = 2$. Recall that their scheme is not optimized for power-law graphs but works for general, weighted graphs as well. We also compare our scheme with the values obtained by Brady and Cowen [BC06].

Settings and results. For the graphs generated by Brady and Cowen [BC06], the high-degree selection and the random sampling process were executed five times for each of the ten graphs per value of τ , which gives a total of $5 \cdot 10 \cdot 9 \cdot 2 = 900$ routing scheme constructions. For each of the remaining graphs (Barabási, Waxman, CAIDA), both schemes were constructed at least 10 times. We report the table sizes (mean and standard deviation) in Table 1. For each instance, 200 random (s, t) pairs were generated and packets routed. The stretch (the length of the route divided by the length of a shortest path) is reported in Table 2.

Graph	CAIDA [Coo03]	ASBarabasi	RTBarabasi	ASWaxman	RTWaxman
random, $p = n^{-1/2}$	929.84±95.40	204.03±25.57	208.32±22.21	221.95± 24.73	217.75± 28.00
highdeg, $\lceil n^\gamma \rceil$	173.68±55.80	32.16±41.30	44.95±58.21	139.45±142.94	130.65±131.78
Graphs [BC06]	$\tau = 2.1$	$\tau = 2.2$	$\tau = 2.3$	$\tau = 2.4$	$\tau = 2.5$
random, $p = n^{-1/2}$	74.90±37.96	74.94±44.78	77.49±50.56	79.74± 55.50	82.54± 60.17
highdeg, $\lceil n^\gamma \rceil$	55.20±67.48	48.50±54.57	42.20±42.94	43.28± 40.10	43.55± 38.37
Graphs [BC06]	$\tau = 2.6$	$\tau = 2.7$	$\tau = 2.8$	$\tau = 2.9$	
random, $p = n^{-1/2}$	86.88±69.69	85.56±71.35	84.69±73.87	76.65± 71.71	
highdeg, $\lceil n^\gamma \rceil$	45.59±39.59	50.24±46.08	56.48±56.26	46.85± 46.65	

Table 1: Table sizes: mean and standard deviation

Graph	CAIDA [Coo03]	ASBarabasi	RTBarabasi	ASWaxman	RTWaxman
random	1.28±0.16	1.38±0.28	1.38±0.25	1.37±0.25	1.38±0.16
highdeg, $\lceil n^\gamma \rceil$	1.12±0.14	1.15±0.21	1.20±0.22	1.36±0.26	1.35±0.24
Graphs [BC06]	$\tau = 2.1$	$\tau = 2.2$	$\tau = 2.3$	$\tau = 2.4$	$\tau = 2.5$
random, $p = n^{-1/2}$	1.34±0.24	1.35±0.24	1.35±0.25	1.34±0.26	1.34±0.26
highdeg, $\lceil n^\gamma \rceil$	1.30±0.24	1.26±0.23	1.23±0.23	1.21±0.23	1.18±0.22
Graphs [BC06]	$\tau = 2.6$	$\tau = 2.7$	$\tau = 2.8$	$\tau = 2.9$	
random, $p = n^{-1/2}$	1.33±0.28	1.31±0.28	1.29±0.29	1.25±0.28	
highdeg, $\lceil n^\gamma \rceil$	1.16±0.22	1.15±0.22	1.15±0.24	1.11±0.22	

Table 2: Stretch: mean and standard deviation

In our experiments, the strategy of selecting few high-degree nodes as landmarks always produces significantly smaller routing tables compared to a large number of landmarks selected at random. The best results are achieved for the graphs stemming from the Barabási model, for which the high-degree-based tables are roughly 5 times smaller than their random-based counterpart. The average table size for the randomly selected landmarks is close to \sqrt{n} , which means that most balls are actually (almost) empty. As predicted by our analysis, this indicates that, for power-law graphs, the optimal balance for randomly selected landmarks may be smaller than $O(\sqrt{n})$.

The average stretch is surprisingly consistent among different datasets. Even though there are fewer landmarks, the average stretch is better if high-degree nodes are selected as landmarks. Brady and Cowen [BC06] claim average stretch 1.18–1.25 for the scheme by Thorup and Zwick [TZ01]. Our experiments do not confirm this claim: randomly selected nodes (similar to TZ) did not achieve this stretch. Brady and Cowen also claim average stretch 1.11–1.22 for their scheme and small values for $\tau \in \{2.1, 2.2, 2.3\}$. Our scheme, except for the graphs of the Waxman model and for small values of $\tau \leq 2.2$, also achieves these average stretch values. The worst-case stretch is difficult to compare as our scheme has a (non-experimental) worst-case *multiplicative* stretch and the scheme by Brady and Cowen has an experimental worst-case *additive* stretch. Brady and Cowen conclude from their topology experiments that, for graphs up to 40,000 nodes, their scheme has a worst-case additive stretch of 10 while maintaining $O(\log^2 n)$ -bit tables per node. For nodes ‘close’ to each other (distance less than 5), the multiplicative stretch of 3 yields better stretch guarantees. For nodes ‘far’ from each other (distance

at least 5), the additive stretch of 10 yields better stretch guarantees. In power-law graphs, most distances are short, the typical distance being $O(\log \log n)$ [CL02].

The high-degree nodes in the power-law graphs of the Waxman model have only very few edges: the highest degree is only 20. Furthermore, as $\lceil n^\gamma \rceil = 3$, the core is really small and so is the cumulative degree. Compared to the other power-law graphs, the high-degree selection strategy does not produce huge benefits but it still outperforms random selection. In practice, one might add high-degree nodes to the set of landmarks until a certain cumulative degree threshold (for example \sqrt{n} or also a threshold value dependent on τ) is reached.

6.1 Details for the BRITE graphs used in the experiments

We provide the detailed parameters used to generate the graphs using BRITE [MLMB01], based on the Barabási [BA99] and Waxman [Wax88] models. We use the prefix of AS to denote the Autonomous System topology and RT to denote the Router Topology.

Model (1 - RTWaxman): 10000 1000 100 1 2 0.15 0.2 1 1 10.0 1024.0

Model (2 - RTBarabasi): 10000 1000 100 1 2 1 10.0 1024.0

Model (3 - ASWaxman): 10000 1000 100 1 2 0.15 0.2 1 1 10.0 1024.0

Model (4 - ASBarabasi): 10000 1000 100 1 2 1 10.0 1024.0

The resulting graphs have the following numbers of nodes and edges, and the corresponding power-law exponent $\hat{\tau}$, estimated using [New05].

Graph	Nodes	Edges	$\hat{\tau}$
ASWaxman	10,000	20,000	2.806
RTWaxman	10,000	20,000	2.806
ASBarabasi	10,000	19,997	2.893
RTBarabasi	10,000	19,997	2.892

7 Approximate Distance Oracle

Compact routing schemes can be seen as the distributed version of approximate distance oracles. In the following, we use the techniques that allowed us to prove an upper bound on the maximum routing table size to prove an upper bound on the space requirements of an approximate distance oracle (Section 7.1). We then trade query time against space: we provide an approximate distance oracle with linear space requirements (Section 7.2).

7.1 Distance Oracle with Stretch 3

We prove the following theorem.

Theorem 2. *Let $\gamma = \frac{\tau-2}{2\tau-3} + \varepsilon$ be a constant. Assume Equation (1) is satisfied. For random power-law graphs from $\mathbf{RPLG}(n, \tau)$ (Definition 2), there exists a preprocessing algorithm that runs in expected time $O(n^{1+\gamma} \log n)$ and creates a distance oracle of expected size $O(n^{1+\gamma})$. These bounds also hold with probability at least $1 - 1/n$. After preprocessing, approximate distance queries can be answered in $O(1)$ time with stretch at most 3.*

We propose a modification of the distance oracle by Thorup and Zwick [TZ05, Fig. 5] for $k = 2$, which guarantees stretch 3. The main idea of the scheme by Thorup and Zwick for $k = 2$ is the following: in the preprocessing step, given a graph $G = (V, E)$, (1) each node $v \in V$ is chosen as a *landmark* independently at random with probability $n^{-1/2}$. The expected number of landmarks is \sqrt{n} . (2) For each node $u \in V$, find its nearest landmark $\ell(u)$ and

compute the distances from u to all landmarks. To guarantee optimal stretch for short distance queries, (3) for every node $u \in V$ a local ball $B_G(u) = \{u' \in V(G) : d(u, u') < d(u, \ell(u))\}$ is computed, including all nodes with distance strictly less than the distance to the landmarks. The result of the distance query $d(s, t)$ is exact if $s \in B(t)$ or $t \in B(s)$ and otherwise stretch 3 is guaranteed [Cow01]. Since the set of landmarks consists of a random sample, the expected ball size is $O(\sqrt{n})$, which is equal to the number of landmarks. This is the optimal balance for general graphs.

For power-law graphs a *better* balance is possible. Using high-degree nodes as landmarks is a natural heuristic. We can select fewer landmarks and obtain smaller sized balls than [TZ05, Fig. 5] at the same time.

Details for the preprocessing step are listed in Algorithm 3.

Algorithm 3 Preprocess $(G = (V, E), \gamma')$

```

compute core  $\leftarrow \{v \in V : \deg(v) > n^{\gamma'}/4\}$ 
for each  $v \in \text{core}$  do
  run breadth-first search from  $v$  in  $G$ 
  for each node  $u \neq v$ , store  $d(u, v)$  and let  $\text{FirstNode}_u(v)$  be the penultimate node on the
  shortest path; update  $\ell(u)$  if  $v$  is the nearest landmark
end for
for each  $u \in V$  do
  compute and store  $B_{\text{core}}(u)$  (including distances)
  for each  $v \in B_{\text{core}}(u)$  let  $\text{FirstNode}_u(v)$  be the first node on the shortest path to  $v$ .
end for

```

Lemma 25. Let $\gamma = \frac{\tau-2}{2\tau-3} + \varepsilon$ be a constant. Assume Equation (1) is satisfied. For random power-law graphs $\mathbf{RPLG}(n, \tau)$, Algorithm 3 runs in expected time $O(n^{1+\gamma} \log n)$ and creates a distance oracle of expected size $O(n^{1+\gamma})$. These bounds also hold with probability at least $1-1/n$.

Proof. The analysis of the compact routing scheme can be applied directly (Lemma 15 and proof of Lemma 17). \square

The query algorithm is the same as in [TZ05] for $k = 2$, see Algorithm 4.

Algorithm 4 Distance (s, t)

```

if  $s \in B_S(t)$  or  $t \in B_S(s)$  then
  return local distance  $d(s, t)$  from the information at  $s$  or  $t$ .
else
  return  $d(s, \ell(t)) + d(\ell(t), t)$ 
end if

```

Lemma 26. Algorithm 4 runs in time $O(1)$ and achieves stretch 3.

Proof. Stretch and time bounds from [TZ05] apply. For each node preprocessed information is stored in a hash table with constant access time [FKS84]. \square

Theorem 2 is immediate from Lemmas 25 and 26.

7.2 Linear-space Data Structure

In practical scenarios (such as social networks with millions of individuals) the graph may be too large to store a distance oracle that requires super-linear space. In the following, we propose and analyze a distance data structure that can be stored using linear space. For any subset of $O(\sqrt{n})$ nodes a complete distance table can be stored using linear space. Long-range distances can be approximated by passing through two landmarks in the subset. For short-range distances, we again use balls. These balls can be either pre-computed (resulting in constant query time but larger space requirements) or they can be explored at query time (resulting in longer query time but smaller space requirements).

More generally, we can trade space against query time, depending on the application's needs. For a parameter $\xi \in [0, 1/2]$ we choose a set of landmarks of size $O(n^{1/2+\xi})$ and compute a complete distance table, which requires space $O(n^{1+2\xi})$. Furthermore, for each node $v \in V$ we store its nearest landmark. At query time, given two nodes s and t , we explore both balls (similar to Algorithm 4, but now the balls have not been precomputed). The query time increases, as described by the following theorem.

Theorem 3. *Let $\xi \in [0, 1/2]$ and let $\gamma'' = (1/2 - \xi)(1 - 1/(\tau - 1)) + \varepsilon$ be two constants. Assume Equation (1) is satisfied. For random power-law graphs from $\mathbf{RPLG}(n, \tau)$ (Definition 2), there exists a preprocessing algorithm that runs in time $O(n^{3/2+\xi} \log n)$ and creates a distance data structure of size $O(n^{1+2\xi})$. After preprocessing, approximate distance queries can be answered in expected time $O(n^{\gamma''} \log n)$ with stretch at most 5. The bound on the query time also holds with probability at least $1 - 1/n$.*

Note that we may set $\xi := 0$, in which case we obtain a linear-space distance “oracle” with query time $O(n^{\frac{1-1/(\tau-1)}{2} + \varepsilon} \log n)$. For any $\tau \in (2, 3)$ the exponent is at most $1/4 + \varepsilon$. For smaller values of τ (not too far from 2) the exponent is roughly $1/10$.

The remainder of this section is devoted to the proof of Theorem 3. Algorithm 5 lists the pseudo-code for the preprocessing algorithm, which is very similar to Algorithm 3.

Algorithm 5 Preprocess $(G = (V, E), \xi)$

```

compute core as the set of the  $n^{1/2+\xi}$  nodes with highest degree
for each  $v \in \text{core}$  do
    run breadth-first search from  $v$  in  $G$ 
    for each node  $v \neq u \in \text{core}$ , store  $d(u, v)$  and let  $\text{FirstNode}_u(v)$  be the penultimate node
    on the shortest path
    for each node  $u \neq v$  update  $\ell(u)$  if  $v$  is the nearest landmark
end for

```

Lemma 27. *Let $\xi \in [0, 1/2]$ and let $\varepsilon > 0$ be two constants. Assume Equation (1) is satisfied. For random power-law graphs from $\mathbf{RPLG}(n, \tau)$ the following holds: with respect to the core with $\Theta(n^{1/2+\xi})$ nodes, each ball has size at most $O(n^{(1/2-\xi)(1-1/(\tau-1))+\varepsilon} \log n)$ with probability at least $1 - 1/n^2$.*

Proof. We start by estimating the volume of the core. The smallest volume of any node in the core is given by w_k for $k = n^{1/2+\xi}$, which is

$$\begin{aligned}
 w_k &= \left(\frac{n}{k}\right)^{\frac{1}{\tau-1}} \\
 &= n^{\frac{1/2-\xi}{\tau-1}}.
 \end{aligned}$$

The asymptotic volume of the core is thus at least

$$n^{1/2+\xi} \cdot n^{\frac{1/2-\xi}{\tau-1}},$$

which implies (using Lemma 12 in the exact same way as in the proof of Lemma 15) that balls have size at most (up to constant and logarithmic factors)

$$n^{1-(1/2+\xi)-\frac{1/2-\xi}{\tau-1}+\varepsilon} = n^{(1/2-\xi)(1-1/(\tau-1))+\varepsilon}.$$

□

The pseudo-code of the query algorithm is listed as Algorithm 6.

Algorithm 6 Distance (s, t)

explore $B_S(s)$ and $B_S(t)$ using BFS, **return** distance if s or t are found
if $s \notin B_S(t)$ and $t \notin B_S(s)$ **then**
 return $d(s, \ell(s)) + d(\ell(s), \ell(t)) + d(\ell(t), t)$
end if

Lemma 28. *Algorithm 6 achieves stretch 5.*

Proof. Given a query pair (s, t) , we have that either $s \in B(t)$ or $t \in B(s)$ (in which case the algorithm returns the exact distance) or

$$\begin{aligned} \tilde{d}(s, t) &= d(s, \ell(s)) + d(\ell(s), \ell(t)) + d(\ell(t), t) \\ &\leq d(s, t) + d(\ell(s), \ell(t)) + d(s, t) \\ &\leq d(s, t) + 3d(s, t) + d(s, t) = 5d(s, t) \end{aligned}$$

□

Lemmas 27 and 28 imply Theorem 3.

8 Conclusion

Our analysis provides theoretical justification that high-degree nodes in power-law graphs are indeed very important for finding shortest paths in such networks, and thus are effective in improving the performance of shortest-path-related computations. With the ubiquity of power-law networks, our result suggests that, when designing network algorithms, optimizing for power-law graphs rather than dealing with general graphs, may lead to significantly better algorithm performance in real-world networks (in particular if they are assortative).

Perhaps the most intriguing question is whether even polylogarithmic tables would suffice to route with small stretch in power-law graphs. Recent results on distance oracles [SVY09] suggest that $n^{1+\epsilon}$ space is necessary to answer distance queries in constant time for sparse graphs. The lower bound does not extend to routing though. It also remains open whether the scheme by Thorup and Zwick for general k can be optimized for power-law graphs and whether similar techniques can be applied to the name-independent scheme by Abraham et al. [AGM⁺08]. An average-case analysis of the actual scheme by Thorup and Zwick would be interesting as well as a rigorous analysis of the scheme by Brady and Cowen [BC06]. Furthermore, the analysis for other random power-law graphs models is an interesting topic.

Acknowledgments.

The second author thanks Michael E. Houle and Mikkel Thorup for their valuable comments on an earlier version of this article. We also thank the anonymous DISC reviewers for their comments and suggestions.

References

- [ACL00] William Aiello, Fan R. K. Chung, and Linyuan Lu. A random graph model for massive graphs. In *STOC*, pages 171–180, 2000.
- [AGGM06] Ittai Abraham, Cyril Gavoille, Andrew V. Goldberg, and Dahlia Malkhi. Routing in networks with low doubling dimension. In *Proceedings of the 26th International Conference on Distributed Computing Systems*, 2006.
- [AGM05] Ittai Abraham, Cyril Gavoille, and Dahlia Malkhi. Compact routing for graphs excluding a fixed minor. In *DISC*, pages 442–456, 2005.
- [AGM06a] Ittai Abraham, Cyril Gavoille, and Dahlia Malkhi. On space-stretch trade-offs: lower bounds. In *SPAA*, pages 207–216, 2006.
- [AGM06b] Ittai Abraham, Cyril Gavoille, and Dahlia Malkhi. On space-stretch trade-offs: upper bounds. In *SPAA*, pages 217–224, 2006.
- [AGM⁺08] Ittai Abraham, Cyril Gavoille, Dahlia Malkhi, Noam Nisan, and Mikkel Thorup. Compact name-independent routing with minimum stretch. *ACM Transactions on Algorithms*, 4(3), 2008.
- [BA99] Albert-László Barabási and Reka Albert. Emergence of scaling in random networks. *Science*, 286(5439):509–512, 1999.
- [BC06] Arthur Brady and Lenore Cowen. Compact routing on power law graphs with additive stretch. In *Proc. of the 9th Workshop on Algorithm Eng. and Exper.*, pages 119–128, 2006.
- [Bou85] Jean Bourgain. On lipschitz embedding of finite metric spaces in Hilbert space. *Israel Journal of Mathematics*, 52(1-2):46–52, 1985.
- [CC09] Andrej Cvetkovski and Mark Crovella. Hyperbolic embedding and routing for dynamic graphs. In *INFOCOM 2009. 28th IEEE International Conference on Computer Communications, Joint Conference of the IEEE Computer and Communications Societies, 19-25 April 2009, Rio de Janeiro, Brazil*, pages 1647–1655, 2009.
- [Cha07] Timothy M. Chan. More algorithms for all-pairs shortest paths in weighted graphs. In *STOC*, pages 590–598, 2007.
- [CHKZ03] Edith Cohen, Eran Halperin, Haim Kaplan, and Uri Zwick. Reachability and distance queries via 2-hop labels. *SIAM Journal on Computing*, 32(5):1338–1355, 2003. Announced at SODA 2002.
- [CL02] Fan Rong King Chung and Linyuan Lu. The average distances in random graphs with given expected degrees. *Internet Mathematics*, 99:15879–15882, 2002.

- [CL06] Fan Rong King Chung and Linyuan Lu. *Complex Graphs and Networks*. American Mathematical Society, 2006.
- [Coo03] Cooperative Association for Internet Data Analysis. CAIDA’s router-level topology measurements. Online at http://www.caida.org/tools/measurement/skitter/router_topology/, file: itdk0304_rlinks_undirected.gz, 2003.
- [Cow01] Lenore Cowen. Compact routing with minimum stretch. *J. Algorithms*, 38(1):170–183, 2001.
- [CSN07] Aaron Clauset, Cosma Rohilla Shalizi, and Mark E. J. Newman. Power-law distributions in empirical data. arXiv:0706.1062, 2007.
- [CY09] Jiefeng Cheng and Jeffrey Xu Yu. On-line exact shortest distance query processing. In *EDBT 2009, 12th International Conference on Extending Database Technology, Saint Petersburg, Russia, March 24-26, 2009, Proceedings*, pages 481–492, 2009.
- [Dij59] Edsger Wybe Dijkstra. A note on two problems in connection with graphs. *Numerische Math.*, 1:269–271, 1959.
- [ER60] Paul Erdős and Alfréd Rényi. On the evolution of random graphs. *Magyar Tudományok Akadémia Matematikai Kutató Intézetének Közleményei*, 5:17–61, 1960.
- [EWG08] Mihaela Enachescu, Mei Wang, and Ashish Goel. Reducing maximum stretch in compact routing. In *INFOCOM*, pages 336–340, 2008.
- [FFF99] Michalis Faloutsos, Petros Faloutsos, and Christos Faloutsos. On power-law relationships of the Internet topology. In *SIGCOMM: Proceedings of the conference on applications, technologies, architectures, and protocols for computer communication*, pages 251–262, 1999.
- [FG01] Pierre Fraigniaud and Cyril Gavoille. Routing in trees. In *ICALP*, pages 757–772, 2001.
- [FKS84] Michael L. Fredman, János Komlós, and Endre Szemerédi. Storing a sparse table with $O(1)$ worst case access time. *Journal of the ACM*, 31(3):538–544, 1984. Announced at FOCS 1982.
- [FPP08] Alessandro Ferrante, Gopal Pandurangan, and Kihong Park. On the hardness of optimization in power-law graphs. *Theoretical Computer Science*, 393(1-3):220–230, 2008.
- [GH99] Cyril Gavoille and Nicolas Hanusse. Compact routing tables for graphs of bounded genus. In *ICALP*, pages 351–360, 1999.
- [GH05] Andrew V. Goldberg and Chris Harrelson. Computing the shortest path: A* search meets graph theory. In *Proceedings of the Sixteenth Annual ACM-SIAM Symposium on Discrete Algorithms (SODA’05), Vancouver, British Columbia, Canada, January 23-25, 2005*, pages 156–165, 2005.
- [GP96] Cyril Gavoille and Stephane Perennes. Memory requirements for routing in distributed networks (extended abstract). In *PODC*, pages 125–133, 1996.

- [GSVGM98] Roy Goldman, Narayanan Shivakumar, Suresh Venkatasubramanian, and Hector Garcia-Molina. Proximity search in databases. In *VLDB'98, Proceedings of 24rd International Conference on Very Large Data Bases, August 24-27, 1998, New York City, New York, USA*, pages 26–37, 1998.
- [KFY04] Dmitri V. Krioukov, Kevin R. Fall, and Xiaowei Yang. Compact routing on internet-like graphs. In *INFOCOM*, 2004.
- [Kor08] Amos Korman. Improved compact routing schemes for dynamic trees. In *PODC*, pages 185–194, 2008.
- [KRR⁺00] Ravi Kumar, Prabhakar Raghavan, Sridhar Rajagopalan, D. Sivakumar, Andrew Tomkins, and Eli Upfal. Random graph models for the web graph. In *FOCS*, pages 57–65, 2000.
- [KRX06] Goran Konjevod, Andréa W. Richa, and Donglin Xia. Optimal-stretch name-independent compact routing in doubling metrics. In *PODC*, pages 198–207, 2006.
- [KRXY07] Goran Konjevod, Andréa W. Richa, Donglin Xia, and Hai Yu. Compact routing with slack in low doubling dimension. In *PODC*, pages 71–80, 2007.
- [LADW05] Lun Li, David Alderson, John C. Doyle, and Walter Willinger. Towards a theory of scale-free graphs: Definition, properties, and implications. *Internet Mathematics*, 2(4):431–523, 2005.
- [Lu02a] Hsueh-I Lu. Improved compact routing tables for planar networks via orderly spanning trees. In *Proc. of the 8th Int. Computing and Combinatorics Conference*, pages 57–66, 2002.
- [Lu02b] Linyuan Lu. *Probabilistic methods in massive graphs and Internet computing*. PhD thesis, University of California San Diego, 2002.
- [McD98] Colin McDiarmid. *Probabilistic Methods for Algorithmic Discrete Mathematics*, volume 16 of *Algorithms and Combinatorics*, chapter Concentration, pages 1–46. Springer, 1998.
- [Mit03] Michael Mitzenmacher. A brief history of generative models for power law and lognormal distributions. *Internet Mathematics*, 1(2), 2003.
- [MLMB01] Alberto Medina, Anukool Lakhina, Ibrahim Matta, and John W. Byers. Brite: An approach to universal topology generation. In *9th International Workshop on Modeling, Analysis, and Simulation of Computer and Telecommunication Systems*, pages 346–, 2001.
- [New05] Mark E. J. Newman. Power laws, Pareto distributions and Zipf's law. *Contemporary Physics*, 46:323–351, 2005.
- [NR06] Ilkka Norros and Hannu Reittu. On a conditionally Poissonian graph process. *Advances in Applied Probability*, 38(1):59–75, 2006.
- [NSW01] Mark E. J. Newman, Steven H. Strogatz, and Duncan J. Watts. Random graphs with arbitrary degree distributions and their applications. *Physical Review E*, 64(2):026118, Jul 2001.

- [PBCG09] Michalis Potamias, Francesco Bonchi, Carlos Castillo, and Aristides Gionis. Fast shortest path distance estimation in large networks. In *CIKM '09: Proceeding of the 18th ACM conference on Information and knowledge management*, pages 867–876, 2009.
- [PKBV10] Fragkiskos Papadopoulos, Dmitri V. Krioukov, Marián Boguñá, and Amin Vahdat. Greedy forwarding in dynamic scale-free networks embedded in hyperbolic metric spaces. In *INFOCOM 2010. 29th IEEE International Conference on Computer Communications, Joint Conference of the IEEE Computer and Communications Societies, 15-19 March 2010, San Diego, CA, USA*, pages 2973–2981, 2010.
- [PU89] David Peleg and Eli Upfal. A trade-off between space and efficiency for routing tables. *J. ACM*, 36(3):510–530, 1989.
- [Sen09] Sandeep Sen. Approximating shortest paths in graphs. In *WALCOM: Algorithms and Computation, Third International Workshop, WALCOM 2009, Kolkata, India, February 18-20, 2009. Proceedings*, pages 32–43, 2009.
- [SGNP10] Atish Das Sarma, Sreenivas Gollapudi, Marc Najork, and Rina Panigrahy. A sketch-based distance oracle for web-scale graphs. In *International Conference on Web Search and Data Mining (WSDM)*, 2010. to appear.
- [Som10] Christian Sommer. *Approximate Shortest Path and Distance Queries in Networks*. PhD thesis, The University of Tokyo, 2010.
- [SVY09] Christian Sommer, Elad Verbin, and Wei Yu. Distance oracles for sparse graphs. In *50th Annual IEEE Symposium on Foundations of Computer Science (FOCS)*, pages 703–712, 2009.
- [TZ01] Mikkel Thorup and Uri Zwick. Compact routing schemes. In *SPAA*, pages 1–10, 2001.
- [TZ05] Mikkel Thorup and Uri Zwick. Approximate distance oracles. *J. ACM*, 52(1):1–24, 2005.
- [Wax88] Bernard M. Waxman. Routing of multipoint connections. *IEEE Journal on Selected Areas in Communications*, 6(9):1617–1622, 1988.
- [XWP⁺09] Yanghua Xiao, Wentao Wu, Jian Pei, Wei Wang, and Zhenying He. Efficiently indexing shortest paths by exploiting symmetry in graphs. In *EDBT '09: Proceedings of the 12th International Conference on Extending Database Technology*, pages 493–504, 2009.